according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



Trade name : FURNITURE OIL solvent-free

04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Revision date :** 04.12.2019 **Print date :** 04.12.2019

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

FURNITURE OIL solvent-free Art. No. 2049

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product Categories [PC] Coatings and paints, fillers, putties, thinners

#### 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

BIOFA Naturprodukte W.Hahn GmbH

Street: Dobelstr.22

Postal code/city: D-73087 Bad Boll Telephone: +49 (0) 7164-9405-0 Telefax: +49 (0) 7164-9405-94

Information contact:

Respondent department: product safety department

Contact: Mr. Andrew Beuttenmüller

E-mail address of the competent person responsible for the SDS: a.beuttenmueller@biofa.de

## 1.4 Emergency telephone number

During office time 7:30 to 16:30: +49 (0) 7164-9405-0

Emergency telephone number Berlin (24 h): +49(0)30/30686700 Support in English

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3; H412 - Hazardous to the aquatic environment : Chronic 3; Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

## **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P102 Keep out of reach of children. P103 Read label before use.

P101 If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing. P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/national regulations

Special rules for supplemental label elements for certain mixtures

Page: 1 / 11

(EN/D)

## according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



Trade name: FURNITURE OIL solvent-free

**Revision date:** 04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Print date :** 04.12.2019

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

Materials soiled with product such as cleaning rags, tissues and protective clothing, may ignite spontaneously a few hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water.

Results of PBT and vPvB assessment: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous ingredients**

ZINC OXIDE; EC No.: 215-222-5; CAS No.: 1314-13-2; REACH registration No.: 01-2119463881-32

Weight fraction :  $\geq 1 - < 2.5 \%$ 

Classification 1272/2008 [CLP]: Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Additional information

Full text of H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Immediately remove all contaminated clothing.

## Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek medical advice.

#### In case of skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Clean with detergents. Avoid solvent cleaners. In case of skin reactions, consult a physician.

## After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. If necessary remove contact lenses and continue to flush with plenty of clean, fresh water.

#### After ingestion

Call a physician immediately. Put victim at rest, cover with a blanket and keep warm. Do NOT induce vomiting. If vomiting occurs, be sure to avoid choking. Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Page: 2 / 11

## according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



Trade name: FURNITURE OIL solvent-free

**Revision date:** 04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Print date:** 04.12.2019

#### Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO2) Water spray Extinguishing powder

#### Unsuitable extinguishing media

Full water jet

## 5.2 Special hazards arising from the substance or mixture

"Fire will produce dense black smoke. Exposure to danger decomposition products may cause a health hazard." In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Use suitable breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid inhalation of vapours. Wear breathing apparatus if exposed to vapours/dusts/aerosols. See protective measures under point 7 and 8.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates drains, lakes, rivers or sewers, inform the appropriate authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

### For cleaning up

Larger amounts have to be pumped out. Contain and collect small spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.

## 6.4 Reference to other sections

See protective measures under point 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Avoid inhalation of dust from sanding. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8).

Keep container tightly closed. Never use pressure to empty container. Keep/Store only in original container. Comply with health and safety regulations.

Do not allow to enter into surface water or drains.

## **Protective measures**

#### Measures to prevent fire

Materials soiled with product such as cleaning rags, tissues and protective clothing, may ignite spontaneously a few hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

#### Hints on joint storage

Keep away from: Alkali (Iye). Acid Oxidizing agent

Page: 3 / 11

## according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



Trade name: FURNITURE OIL solvent-free

**Revision date:** 04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Print date :** 04.12.2019

Storage class: 12

Storage class (TRGS 510): 12

#### Further information on storage conditions

Observe label and technical data sheet precautions. Keep only in the original container in a cool, well-ventilated place. Protect against Heat. Frost Containers which are opened must be carefully resealed and kept upright to prevent leakage

#### 7.3 Specific end use(s)

Oil for surface treatment of wooden furniture and interior fittings.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

None

#### 8.2 Exposure controls

## Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation or good general extraction. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Technical measures and the application of suitable work processes have priority over personal protection equipment.

## **Personal protection equipment**

Safety data sheet of raw material suppliers or taken by accredited Laboratories or have been dertermined internally

#### Eye/face protection

Suitable eye protection Eye glasses with side protection

## Skin protection

After cleaning apply high-fat content skin care cream.

#### Hand protection

Tested protective gloves must be worn DIN EN 374

Breakthrough times and swelling properties of the material must be taken into consideration.

By long-term hand contact Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of the glove material 0,7 mm

Breakthrough time (maximum wearing time) > 480 min.

By short-term hand contact Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.4 mm

Breakthrough time (maximum wearing time) > 120 min.

#### **Body protection**

Personnel should wear impermeable and antistatic protective work clothing.

Recommended material Natural fibres (e.g. cotton) heat-resistant synthetic fibres

#### Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values insufficient ventilation insufficient exhaust prolonged exposure aerosol or mist formation.

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Particle filter device (DIN EN 143). Self-contained respirator (breathing apparatus) (DIN EN 133)

Filter types: A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m3 (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m³ (0.5 % by vol.); class

Page: 4 / 11

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FURNITURE OIL solvent-free

Art. No. 2049

**Revision date :** 04.12.2019 **Version (Revision) :** 2.0.3 (2.0.2)

**Print date:** 04.12.2019

3: maximum permitted contaminant concentration in inhaled air =  $10000 \text{ mL/m}^3$  (1.0 % by vol.) Full-face mask or mouthpiece with particulate filter: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit. P3 filter: up to a max. of

## **Environmental exposure controls**

See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state: liquid: Colour: light yellow, cloudy

## Odour

oily

#### **Odour threshold**

Not determined

#### Safety relevant basis data

 Melting point/melting range:
 No data available

 Initial boiling point and boiling range:
 ( 1013 hPa )
 No data available

 Decomposition temperature:
 No data available

**Flash point :** not applicable DIN EN ISO 1523

 Ignition temperature :
 not applicable

 Lower explosion limit :
 not applicable

 Upper explosion limit :
 not applicable

 Vapour pressure :
 (50 °C)

 No data available

**Density:** (20 °C) 0,94 - 0,96 g/cm<sup>3</sup> DIN 53217

Solvent separation test: (20 °C) not applicable Water solubility: (20 °C) insoluble pH: not applicable

 Flow time :
 ( 20 °C )
 >
 200 s
 DIN-cup 4 mm

 Viscosity :
 ( 20 °C )
 1000 - 2000 mPa.s
 Brookfield

 Viscosity:
 ( 20 °C )
 1000 - 2000
 mPa.s

 Solid content:
 99 - 100
 Wt %

 Solvent content:
 0
 Wt %

 Maximum VOC content (EC):
 <</td>
 0,1
 Wt %

 Maximum VOC content (Switzerland):
 <</td>
 0,1
 Wt %

Self-ignition: Product is not self-igniting.

danger of explosion by solvents: Not applicable

Relative density: Not determined Vapour density: Not determined Evaporation rate: Not determined

N-octanol-water partition coefficient: Not determined

## 9.2 Other information

None

#### **SECTION 10: Stability and reactivity**

Page: 5 / 11

(EN/D)

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FURNITURE OIL solvent-free

Art. No. 2049

**Revision date :** 04.12.2019 **Version (Revision) :** 2.0.3 (2.0.2) **Print date :** 04.12.2019

## 10.1 Reactivity

No dangerous reactivity under recommended usage, handling and storage.

#### 10.2 Chemical stability

Stable under recommended usage, storage and handling conditions (see section 7).

## 10.3 Possibility of hazardous reactions

Materials soiled with product such as cleaning rags, tissues and protective clothing, may ignite spontaneously a few hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water.

#### 10.4 Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapours.

#### 10.5 Incompatible materials

Alkali (lye). Acid Oxidizing agent.

#### 10.6 Hazardous decomposition products

By combustion and thermal decomposition at high temperatures, the following chemicals can be produced: Carbon dioxide. Carbon monoxide Nitrogen oxides (NOx). carbon black.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## Acute effects

#### Acute oral toxicity

Parameter: LD50 ( ZINC OXIDE ; CAS No. : 1314-13-2 )

Exposure route: Oral
Species: Rat
Effective dose: 7950 mg/kg

Acute inhalation toxicity

Parameter: LC50 ( ZINC OXIDE ; CAS No. : 1314-13-2 )

Exposure route: Inhalation
Species: Mouse
Effective dose: 2500 mg/m³

#### **Irritant and corrosive effects**

#### Primary irritation to the skin

The product is: Not an irritant.

## Irritation to eyes

The product is: Not an irritant. **Irritation to respiratory tract**The product is: Not an irritant.

#### Sensitisation

not sensitising.

#### Repeated dose toxicity (subacute, subchronic, chronic)

Toxicological data are not available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

Toxicological data are not available.

Page: 6 / 11

## according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



Trade name: FURNITURE OIL solvent-free

**Revision date:** 04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Print date:** 04.12.2019

#### Germ cell mutagenicity

Toxicological data are not available.

#### **Reproductive toxicity**

Toxicological data are not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

## **Aquatic toxicity**

Harmful to aquatic life with long lasting effects.

#### Acute (short-term) algae toxicity

Parameter: IC50 ( ZINC OXIDE ; CAS No. : 1314-13-2 )

Species: Algae

Evaluation parameter : Acute (short-term) algae toxicity

Effective dose : = 136 mg/l Exposure time : 72 h Chronic (long-term) algae toxicity

Parameter: NOEC ( ZINC OXIDE ; CAS No. : 1314-13-2 )

Species: Chronic (long-term) algae toxicity
Evaluation parameter: Chronic (long-term) algae toxicity

Effective dose : = 0,011 mg/lExposure time : 120 h

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## 12.6 Other adverse effects

No data available

#### 12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Do not allow to enter into surface water or drains.

#### **Product/Packaging disposal**

Wastes and empty containers must be classified in accordance with the Waste Catalogue Ordinance.

Waste codes/waste designations according to EWC/AVV

Waste code product

08 01 11\*

**Waste name** 

Page: 7 / 11

(EN/D)

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : FURNITURE OIL solvent-free

**Print date:** 04.12.2019

Waste paint and varnish containing organic solvents or other dangerous substances.

#### Waste code packaging

15 01 10\*

Revision date:

#### Waste name

Packaging containing residues of or contaminated by dangerous substances.

Non-contaminated packages may be recycled.

Packing which cannot be properly cleaned must be disposed of.

#### **Waste treatment options**

#### Appropriate disposal / Package

Packing which cannot be properly cleaned must be disposed of.

Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

## 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

## 14.6 Special precautions for user

None

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### 14.8 Additional information

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer. Not applicable Directive 96/82/EC for danger control following severe accidents with dangerous substances Not subject to 96/82/EC

#### **National regulations**

Restrictions of occupation

None, if handled according to order.

#### Störfallverordnung

Not subject to StörfallVO.

Page: 8 / 11

## according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



FURNITURE OIL solvent-free Trade name:

Revision date: 04.12.2019 Version (Revision): 2.0.3 (2.0.2)

Print date: 04.12.2019

#### Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to AwSV

#### Other regulations, restrictions and prohibition regulations

## VOC-Regulation (31. BImSchV)

VOC product category: Not applicable

VOC subcategory of the product : Not applicable

VOC limit value step II (g/L), ready-to-use condition : Not applicable

Maximum VOC content (g/L) of the product in a ready to use condition: Not applicable

#### **Additional information** Giscode: Not applicable

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

#### **SECTION 16: Other information**

#### 16.1 Indication of changes

01.4 Emergency telephone

## 16.2 Abbreviations and acronyms

Acute Tox. Akute Toxizität

**ADR** Accord europeen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road -

Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der

Straße

Aquatic Acute Akute aquatische Toxizität Chronische aquatische Toxizität Aquatic Chronic

Asp. Tox. Aspirationsgefahr

Abfallverzeichnis-Verordnung **AVV** 

AwSV Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen BImSchV Verordnung zur Durchführung des Bundesimmissionsschutzgesetzes

Chemical Abstracts Service – Gesellschaft für die Vergabe von CAS-Nummern CAS

Classification, Labelling and Packaging (Verordnung (EG) Nr. 1272/2008 über die Einstufung, CLP

Kennzeichnung und Verpackung von Stoffen und Gemischen)

CMR carcinogen, mutagen, reproduktionstoxisch (krebserzeugend, erbgutverändernd,

fortpflanzungsgefährdend) Deutsches Institut für Normung Europäischer Abfallkatalog Mittlere effektive Konzentration

EC50 ΕN Europäische Norm EU Europäische Union

EUH Europäische Gefahrenhinweise Eye Dam. Schwere Augenschädigung

Eye Irrit. Augenreizend

DIN EAK

Flam. Liq. Entzündbare Flüssigkeit

Globally Harmonised System of Classification and Labelling of Chemicals (Global **GHS** 

Harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien)

hPa

IATA-DGR International Air Transport Association - Dangerous Goods Regulations (Gefahrgutvorschriften der Internationalen Flug-Transport-Vereinigung)

ICAO-TI International Civil Aviation Organization-Technical Instructions (Technische Anleitungen für den

sicheren Transport von Gefahrgütern in der Luft der zivilen Luftfahrtgesellschaft)

IC50 Halbmaximale Hemmstoffkonzentration

International Maritime Code for Dangerous Goods (Internationaler Code für Gefahrgüter auf See **IMDG** 

Page: 9 / 11

#### according to Regulation (EC) No. 1907/2006 (REACH)

Art. No. 2049



Trade name: FURNITURE OIL solvent-free

**Revision date:** 04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Print date:** 04.12.2019

ISO Internation Standards Organization (Internationale Organisation für Normung)

LC50 Lethal concentration, 50 percent (Lethale Konzentration für 50% einer Versuchspopulation)

LD50 Lethal dose, 50 percent (Lethale Dosis für 50% einer Versuchspopulation)

LQ Limited Quantities (begrenzte Mengen)

MAK Maximale Arbeitsplatzkonzentrationswerte gesundheitsgefährdender Stoffe

Met. Corr. Korrosiv gegenüber Metallen

NOEC No Observed Effect Concentration (Tierexperimentell festgelegte höchste Konzentration, bei der

keine Wirkung – schädigender Effekt – mehr nachweisbar ist)

PBT Persistent, Bioaccumulative and Toxic (persistent, bioakkumulierbar und toxisch)

RCP Reciprocal Calculation-based Procedure (Methode zur Berechnung von Arbeitsplatzgrenzwerten

von Kohlenwasserstoffgemischen

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr.

1907/2006 zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe) Reglement concernant le transport International ferroviaire de marchandises Dangereuses

(Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr)

Skin Corr. Hautätzende Wirkung Skin Irrit. Hautreizende Wirkung

Skin Sens. Sensibilisierung durch Hautkontakt

STOT RE Spezifische Zielorgan-Toxizität – wiederholte Exposition STOT SE Spezifische Zielorgan-Toxizität – bei einmaliger Exposition

TRGS Technische Regeln für Gefahrstoffe UN United Nations (Vereinte Nationen)

VbF Verordnung über brennbare Flüssigkeiten (Österreichische Verordnung)
VOC Volatile Organic Compounds (flüchtige organische Verbindungen)

vPvB very Persistent and very Bioaccumulative (sehr persistent und sehr bioakkumulierbar)

WGK Wassergefährdungsklasse (German Water Hazard Class)

Siehe auch Übersichtstabellen unter www.euphrac.com oder http://abk.esdscom.eu

#### 16.3 Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), 1272/2008 (CLP) in the current version.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Transport regulations according ADR, RID, IMDG, IATA in the current version.

Safety data sheet taken from raw material suppliers or taken by accredited Laboratories or have been dertermined internally

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification and evaluation was carried out by the calculation method.

#### 16.5 Relevant H- and EUH-phrases (Number and full text)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### 16.6 Training advice

None

RID

#### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 11

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** FURNITURE OIL solvent-free Art. No. 2049

**Revision date:** 04.12.2019 **Version (Revision):** 2.0.3 (2.0.2)

**Print date :** 04.12.2019

Page: 11 / 11